

Breaking Hearts - Not Bankbooks

BARGAIN BONANZA!

These Bargain Prices Are Good Through March 31, 2015

ALFA

Quickream Gelato & Ice Cream Machine

Contact
this dealer
for pricing!

See page 4 for more details and additional products
from this manufacturer!



GMA DISHMACHINES

High Temp Ventless Dishwasher

Contact
this dealer
for pricing!

See page 6 for details and more
items from this manufacturer!



Continental Refrigerator

Standard Line Griddle Stand Refrigerators

Contact
this dealer
for pricing!

See page 7 for details and additional products
from this manufacturer!



NEMCO FOOD EQUIPMENT

Countertop Warmers

Contact
this dealer
for pricing!

See page 15 for more details and additional products
from this manufacturer!



All advertised items may not be available from all dealers. Some items require special order. Freight charges and set-up extra.
Not responsible for any typographical errors and/or graphic misrepresentation.

NISSCO
Restaurant Dealer Group
www.onewaysupply.com

ONE WAY *Supply Corp.*

RESTAURANT • BAR • EQUIPMENT • SUPPLIES
COMPLETE LAYOUT AND DESIGN FACILITIES
FOOD SERVICE • KITCHEN CONSULTING

460 Waverly Ave.
Patchogue, N.Y. 11772

631-758-6700
Fax 631-758-6748

Please visit our online catalog at
www.onewaysupply.com

Miscellaneous Items

NSF



Garnish Center
Shown On Top Of
Glass Rimming Station

The Dome® Garnish Center & Glass Rimming Station

- Garnish Center capacity: (1) 2 qt. Deep Tray, (4) 1 pt. Standard Trays, (2) Snap-On Caddies and (2) Handles
- Glass Rimming Station provides storage for rimming ingredients, a 6" x 9" cutting board and a paring knife

BD4005S Garnish Center
BDRX400 Glass Rimming Station



Kleen-Pail® Foodservice Pails

- Durable handle design prevents lost or broken handles
- Meets HACCP dedicated use guidelines for cleaning and sanitizing cloths used to wipe down surface areas
- Green for detergent; red for sanitizer

KP196GN Green 6 qt.
KP196RD Red 6 qt.



Kleen-Pail® Chemicals

- Pre-measured, water soluble packets
- Color-coded for use with Kleen-Pail® systems
- Detergent for cleaning any surface
- Sanitizer for food-contact surfaces
- 90 packets per tub - use one packet per gallon of water

KP196DET Detergent (Green)
KP196SAN Sanitizer (White)



Cut Resistant Gloves

- Antimicrobial yarn
- Washable and bleachable

CRG-S Small
CRG-M Medium
CRG-L Large

Rotary Cheese Grater

- Sturdy white plastic construction with easy-turn rotary handle
- Complete with three stainless steel drums for grating, shredding and slicing

CG-RTY 5 1/2"



Aluminum Cream Whippers

- FDA approved molded white aluminum construction
- Complete with three nozzles, cleaning brush and whip cream charger holder (whip cream chargers not included)
- Stainless steel handle

CWAL-50 0.5 L
CWAL-100 1.0 L

Push Brooms

- Black plastic block with polypropylene fibers
- Metal handle with plastic grip

FPB-18 18" x 2 1/4" x 4"
FPB-24 24" x 2 1/4" x 4"



Lobby Dust Pan & Broom

- Pan and broom set with a self-opening and closing hopper for spill-free use
- The nylon bristled 7 1/2" angle broom attaches to the hopper handle for convenient storage and easy transport

LDP+B 38" x 13"



Contact this dealer for pricing!



Wet & Dry Nested Measuring Spoon Set

- Reversible stainless steel heads - one for liquids, one for dry items
- Magnet in handles
- Non-stick finish

8942 Set of 4



Triangular Measuring Cup Set

- Stainless steel construction cups and handles
- Magnetic handles keep cups nested together
- Corners serve as pour spout

8943 Set of 4



Opti Squeeze Citrus Juicers

- Requires up to 50% less force than existing squeezers, producing the same yield of juice
- High-end metal design is color coded

8927 Lemon Yellow Ring
8928 Lime Green Ring
8929 Orange Orange Ring



Amco® Precision Graters

- Footed base for no-slip grip

8882 Coarse
8883 Fine



Swing-A-Way® Extra Easy Crank Can Opener

- Long handle and large turning crank make this can opener easy to use
- Features *NEW* soft grip handles
- Knob folds down for storage

6080 Black Handles



EZ-Wall™ Food Prep & Drying Station Kit

- Organize or dry all your tools in a convenient and sanitary manner
- Increase efficiency and storage - keep everything within arm's reach
- Heavy-duty commercial grade, green epoxy coated grid and components

FWMKIT1 Cash & Carry Kit



Corner Shelving

- Maximize storage by utilizing the entire space
- 650 lb. capacity

Chromate Finish

FF18CC 18"W
FF21CC 21"W
FF24CC 24"W

Green Epoxy Finish

FF18CG 18"W
FF21CG 21"W
FF24CG 24"W



3" Caster Sets

- Four casters per set - two with swivel, two with swivel and brake
- 250 lb. capacity per wheel

Universal

FPCST2X33 Polyolefin Wheels, 2 3/8" x 3 5/8" Plates

Adjustable Height (adds 6" to total height of equipment)

FPCF3253 Polyurethane Wheels, 3 1/4" Square Plates




Windsor Supreme Flatware

- 18/0 stainless steel
- Sold per dozen
- 5001** Teaspoon
- 5007** Dessert Spoon
- 5006** Salad Fork
- 5005** Dinner Fork
- 5045** Dinner Knife, 1-Pc.



Poise Flatware

- Medium weight 18/0
- Sold per dozen
- 5501** Teaspoon
- 5507** Dessert Spoon
- 5506** Salad Fork
- 5505** Dinner Fork
- 5545** Dinner Knife, 1-Pc.



Grandeur™ Oblong Chafers

- Full size (8 qt.) roll top chafer
- Tension controllable cover to prevent slam downs
- Top opens 180°
- 54120CR** All Stainless Look
- 54120G** Gold Legs & Handles



Satellite™ Round Chafer

- 6 qt. roll top chafer
- Tension controlled lids to prevent slam downs
- Top opens 180°
- 54130CR** All Stainless Look
- 54130G** Gold Legs & Handles



Champion Chafer

- 18/10 stainless construction
- These are stand-only chafer that are heated with canned fuel or electric units only (NO INDUCTION)
- Tension controlled lids
- CH6QTRD** 6 qt. Round Glass Top Chafer w/Porcelain Insert
- CH8QTRT** 8 qt. Rectangular Hinged Chafer



Jumbo Steak Knife

- Polypropylene handle
- Sold per dozen
- 620527** 5" Blade

Contact this dealer for pricing!



Argyle/Catalina



Caribbean



Contour



Opera

NEW!



Signature

Universal Collection Dinnerware

- Porcelain dinnerware
- Mix and match items from the following collections: Argyle/Catalina, Caribbean, Contour, Opera (new), Signature, Market Buffet, Radiance and Ventana



Market Buffet



Radiance



Ventana



Precision Pizzeria Mixer

- Includes dough hook, beater/paddle, stainless steel bowl, bowl dolly, bowl locking handles, bowl stabilizer and #12 attachment hub
 - 1 year labor, 3 years parts, 7 years warranty on gears and shafts in planetary and transmission
- APM60HD** 60 qt. 3 Speeds

Grater/Shredder Attachment

- Used with mixers, meat choppers, food cutters and power drives with #12 power hubs (also available in #22 hub size)
 - Fits Hobart, Univex, Berkel, Globe, Blakeslee and Verimixer units
 - NSF approved, 9 stainless steel disc sizes available
- GS-12** #12 Hub Attachment



Quickcream Gelato & Ice Cream Machine

- Single flavor, soft serve dispenser
 - 100 cone/cup servings (at 2.5 oz. per serving)
- QKRM-1** 1 gal.



Stainless Steel Chopper Attachment

- Fits Hobart, Univex, Toastmaster and compatible mixers, grinders, food cutters and power units with Hobart style power hub
- 12 SS CCA** #12 Hub Attachment



Pasta Extruder Attachment

- Attachment for planetary mixer
 - Fits #12 mixer hub
 - Constructed of stainless steel
 - Four standard dies includes: two short; fuselli and caserecci as well as two long; spaghetti and linguini
- PEXT-12** Produces Up To 38 lbs./hr.



Contact this dealer for pricing!



Entry Gravity Feed Manual Slicers

- Hollow ground, chromium plated carbon steel knife and top mounted, two stone sharpener
- Stainless steel and anodized aluminum construction
- Fully compliant with NSF/ANSI Standard #8

- 823E-PLUS** 9" Blade 1/4 hp
825E-PLUS 10" Blade 1/4 hp
827E-PLUS 12" Blade 1/3 hp
829E-PLUS 14" Blade 1/2 hp



Economy Gravity Feed Manual Slicers

- Knife constructed of hollow ground chromium plated carbon steel
- Top mounted, two-stone sharpener
- Fully compliant with NSF/ANSI Standard #8

- 825A-PLUS** 10" Blade 1/3 hp
827A-PLUS 12" Blade 1/2 hp
829A-PLUS 14" Blade 1/2 hp

Combination Food Processor

- Quickly and conveniently chops, slices, dices, blends and mixes vegetables, fruits, cheese and virtually any other product
 - Continuous feed attachment includes an automatic start/stop function, feed tube and design that allows the operator to load product with both hands
 - Four speeds (two for bowl and two for continuous feed) with exclusive SureSense™ speed setting
- CC34/2** 11"W x 13³/₄"D x 23"H



Endurance™ Gas Ranges

- 30,000 BTU/hr. open top burners with lift-off heads
- 35,000 BTU/hr. baker's depth standard oven cavities

- 36S6B** 36" Range w/1 Standard Oven, 6 Burners
60SS10B 60" Range w/2 Standard Ovens, 10 Burners
60SS6B24G 60" Range w/2 Standard Ovens, 6 Burners & 24" Griddle (Right)
60SS6B24GB 60" Range w/2 Standard Ovens, 6 Burners & 24" Griddle/Broiler (Right)



Electric Counter Convection Steamers

- Stainless steel exterior and cooking compartment
 - 60 minute timer
 - 208/240 volt, 60/50 Hz, 1/3 phase
 - ANSI/NSF Standard #4, UL listed
- C24EA3BSC** 3 Pan Capacity
C24EA5BSC 5 Pan Capacity



Free Standing Gas Fryers

- Behind the door millivolt thermostat control adjusts from 200°F to 400°F
 - Stainless steel fry tank and cabinet
 - Includes limited ten year tank warranty
 - Set of four 6" adjustable casters (2 locking)
 - Twin fry baskets with plastic coated handles
 - 36¹/₄" working height
- 1GR35M** 35-40 lbs. 90,000 BTU
1GR45M 45-50 lbs. 120,000 BTU
1GR65M 65-70 lbs. 150,000 BTU
1GR85M 85-90 lbs. 150,000 BTU

Heating, Cooking & Beverage Equipment, Glass Washer



Full Size Food Warmer

- Constructed of a heavy stainless steel housing for excellent durability
- Maintains food temperature in excess of 140°F (the requirement for safe food service)
- 120V, 60 Hz, 1200W, 10A

FW-1200W 22½" L x 14½" W x 9¼" H

4/3 Food Warmer

- Quality heavy gauge stainless steel construction
- Interior well made of 20 gauge 18/8 stainless steel
- 27" L x 12" W opening with 6½" deep well
- Can accommodate pans up to 4" in size
- 5' L three prong grounded cord included
- 120V, 1500W, 12.5A

FW-1500W 29½" L x 14½" W x 8½" H

Round Cooker/Warmers

- Stainless steel interior
- 11 quart capacity - easily converts to 7 quarts
- Includes adapter ring
- Can be used as a cooker or warmer
- 120V, 1200W, 10A

FW-1200WR Silver
FW-1200WR/B Matte Black

Infrared Display Warmer

- Constructed of heavy-duty stainless steel
- Fully welded for strong durability
- The heating elements run through the entire top of the unit, giving off a more uniform heat distribution, eliminating hot and cold spots
- Includes 2" deep full size food pan with perforated liner for grease drainage and a 40 watt bulb for lighting products
- 120V, 940W, 7.8A

IDW-940W 13" W x 22½" D x 19¾" H



Fresh Shot Steamer

- Exterior is constructed of heavy-duty stainless steel
- Powder coated top and cast aluminum well
- Includes half size perforated food pan
- Water reservoir holds up to three quarts of water
- Pre-heats in only 30 minutes
- 120V, 15A, 1800W

CTS-1800W 16¾" W x 17¼" D x 8½" H



Contact this dealer for pricing!

Non-Insulated Heater Proofer Cabinet

- Constructed of non-corrosive aluminum throughout the cabinet that allows you to hold prepared foods at proper serving temperatures
- A removable control drawer with LED thermostat gives you complete control over the operating temperature and humidity range and doesn't require opening the door to use
- Comes standard with 5" heavy-duty casters and a clear lexan door
- Ships knocked down and is easy to assemble (tools and hardware kit included)
- Pans sold separately
- 120V, 1800W, 15A

PW-120 Fits 36 (18" x 26") Pans 21" W x 31¼" D x 67¼" H



Hot Chocolate Dispensers

- Constructed with a stainless steel boiler tank and heating element
- The bain-marie style heating system, along with its continuous stir action, allow for a hot and smooth cup of hot chocolate every time
- The anti-clogging faucet allows for no clumping as it pours
- Units feature an adjustable thermostat with digital face, illuminated power switch and a drip tray with float indicator to avoid a messy counter
- The overheat sensor with reset button will prevent your machine from burning out if the water level gets too low
- Easy to clean and to use
- Also great for hot apple cider and other warm beverages
- 120V, 1000W, 8.3A

HCD-5 5 L Capacity
HCD-10 10 L Capacity



Hot Water Boilers

- All parts are constructed of durable stainless steel and equipped with a clear water level gauge
- Variable temperature control knob and heat resistant handles and knob
- Illuminated power switch
- 120V, 1350W

WB-40 40 Cup
WB-100 100 Cups



Redhead Bar Glass Washer

- Heavy-duty washer
- Easily removes lipstick and other stains on the glass surface
- Comes complete with four 7" brushes and one 8¾" center brush
- One year warranty

GW-120 1/3 hp Motor 115V






Ultra-Spray™ Pre-Rinse Head

- Fits all brands of pre-rinse units
 - Low flow 1.15 GPM, fastest in cleanability tests
- 2949** Solid Brass, Chrome Plated




Pre-Rinse Replacement Hose

- Lasts three times longer
 - Three-ply "Aircraft" hydraulic hose
 - Fits all brands of pre-rinse units
- 2918** 44"



Pre-Rinse Unit

- Pre-rinse unit with backsplash control valve and wall bracket
 - 8" CC backplash
- 13390**



Faucet

- 8" CC backplash faucet with swing spout
- 13269** 12" Spout



Contact this dealer for pricing!

High Temperature Ventless Dishwasher

- Features the new Ventless Heat Recovery and Condensation Removal option
 - Safe-T-Temp feature assures 180°F sanitizing rinse cycle
 - Minimum 90 second cycles (60 second wash/rinse and 30 second steam evacuation)
 - Maximum clearance for dishes is 17 1/2"
 - All stainless steel construction
 - Heat Recovery System captures water vapor from the wash cycle and condenses it in order to heat the incoming cold water
- CMA-180-VL** 40 Racks/hr.




Chemical Sanitizing Undercounter Dishwasher

- Uses only 1.7 gallons of water per cycle
 - All heavy-duty stainless steel construction
 - 16"H door opening allows for larger items
 - 30 racks/20 covers per hour
 - Includes sustainer heater
- L-1X16 W/HEATER** 23 1/2"D x 24"W x 34 1/4"H



High Temperature Undercounter Dishwasher

- Built-in booster heater provides hot water sanitizing
 - Constructed entirely of 304 stainless steel
 - Accommodates oversized plates and utensils with a 15" door clearance
 - 24 racks/96 covers per hour
- CMA-180UC W/DISPENSERS** 25 1/2"D x 24"W x 33 1/4"H



High Temperature Dishwasher

- Economical to operate - uses only 0.96 gallons of water per cycle
 - Filters wash water and traps plate debris into an external tray
 - Tray can be easily removed for dumping contents
 - Heavy-duty 12 and 14 gauge 304 stainless steel construction offers durable performance and years of trouble-free operation
 - Built-in chemical resistant industrial 5 kW heater and optional 12 kW booster heater are proven to be more durable than commercial style heaters
 - Top mounted control box is water tight and includes a rack counter, extended wash/delimer switch and easy to read temperature gauges
 - Auto start/stop makes operation safe and easy
 - Field convertible for a wide range of applications
 - Available in Straight or Corner design
- CMA-180S/180C** 54 Racks/hr.



High Temperature Undercounter Dishwasher & Glasswasher

- Double skin stainless steel construction
 - Removable wash and rinse arms
 - Pump drain allows for multiple installation applications including elevated drains
 - 30 racks/120 covers per hour
- UC50E** 24"D x 23 7/16"W x 33 5/16"H



High Temperature Undercounter Glasswasher

- Uses 0.75 gallons of water per cycle or rack
 - Safe-T-Temp booster heater capable of a 70°F rise
 - Detergent and rinse chemical pumps
 - Cleans up to 30 racks (or 600 glasses) per hour
- 181GW** 25"D x 24"W x 39"-40"H Frame



Refrigerators, Stands, Tables, Bases, Sinks, Hand Dryers

Continental Refrigerator

Standard Line Giddle Stand Refrigerators

- Performance rated refrigeration system utilizing environmentally safe R-134a refrigerant
- Side-mounted, automatic, non-electric condensate evaporator
- High-density, non-CFC polyurethane foamed-in-place insulation
- Easily accessible and serviceable front slide-out condensing unit
- Stainless steel exterior and interior, plasticized fin coil
- Capillary dial thermometer, chrome plated hardware
- Reinforced stainless steel finished worktop with drip guard marine edge
- Easy Glide drawers designed to hold 6" deep pans
- Heavy-duty drawer track with built-in drawer safety clips
- 4" casters welded on support plates, drawers designed to hold 250 lbs.




DL36G	2 Drawers	6.5 cu. ft.	36" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/5 hp
DL48G	2 Drawers	9.0 cu. ft.	48" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/5 hp
DL60G	2 Drawers	12.7 cu. ft.	60" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/4 hp
DL72G	4 Drawers	16.4 cu. ft.	72" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/4 hp
DL84G	4 Drawers	20.0 cu. ft.	84" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/3 hp
DL96G	4 Drawers	23.7 cu. ft.	96" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/3 hp
DL108G	6 Drawers	27.4 cu. ft.	108" W x 34 ³ / ₄ " D x 26 ³ / ₈ " H	1/2 hp

Contact this dealer for pricing!



Equipment Stands

- NSF stainless steel
- ROYES3024** 30" x 24"
- ROYES3036** 30" x 36"
- ROYES3048** 30" x 48"
- ROYES3060** 30" x 60"
- ROYES3072** 30" x 72"



NSF Stainless Steel Work Tables

- 18 gauge 430 stainless steel tops with bull nosed edge fronts and backs
- ROYWT2424** 24" x 24"
- ROYWT2430** 24" x 30"
- ROYWT2436** 24" x 36"
- ROYWT2448** 24" x 48"
- ROYWT2460** 24" x 60"
- ROYWT2472** 24" x 72"
- ROYWT3030** 30" x 30"
- ROYWT3036** 30" x 36"
- ROYWT3048** 30" x 48"
- ROYWT3060** 30" x 60"
- ROYWT3072** 30" x 72"
- ROYWT3096** 30" x 96"

Reversible Table Tops

- 1" thickness
- High impact melamine with T-moulding edge
- Oak/walnut woodgrain finish
- Black/mahogany finish is also available (just add BM to the end of the item code)
- ROY RTT 2424 T** 24" x 24"
- ROY RTT 2430 T** 24" x 30"
- ROY RTT 2442 T** 24" x 42"
- ROY RTT 3030 T** 30" x 30"
- ROY RTT 3042 T** 30" x 42"
- ROY RTT 3048 T** 30" x 48"
- ROY RTT 3636 T** 36" x 36"
- ROY RTT 24 RT** 24" dia. Round
- ROY RTT 30 RT** 30" dia. Round
- ROY RTT 36 RT** 36" dia. Round

Hand Sinks w/Faucets

- 20 gauge 304 stainless steel sinks
- Units include wall mount clips, gooseneck faucets and 1¹/₂" drain baskets



12" Space Saver Units

- ROYHS12** Sink/Faucet
- ROYHS12SP** Sink/Facet w/Splash Guard
- Regular Units**
- ROYHS15** Sink w/Faucet
- ROYHS15SP** Sink/Facet w/Splash Guard

High Speed Automatic Hand Dryers

- Infrared automatic detection
- Motor overload protection
- Replaceable fuse
- High speed drying in 10-15 seconds
- ROY DRY JA01** White
- ROY DRY JA05** Stainless Steel



Table Bases

- Cast iron bases and spiders
- Square Bases**
- ROY RTB 2222** 22" x 22" Base for 24" to 30" Round or Square Tops
- ROY RTB 2230** 22" x 30" Base for 24" x 42" to 30" x 48" Square Tops
- ROY RTB 3030** 30" x 30" Base for 36" to 42" Round or Square Tops
- ROY RTB 3333** 33" x 33" Base for Tops Up To 60" Round
- ROY RTB 5222** 5" x 22" Base for Rectangular Tops
- Round Bases**
- ROY RTB 17 R** 17" dia. Base for Tops 24" to 30" Round or Square
- ROY RTB 22 R** 22" dia. Base for 36" Round Tops or 24" x 42" Square Tops
- ROY RTB 30 R** 30" dia. Base for 42" to 60" Round Tops

Stand-Up Table Bases

- For table top sizes 24" - 30", round or square
- 19" chrome wagon wheel foot rests
- Cast iron spiders, cast iron bases
- ROY RTB 142** 22" x 22" Base
- ROY RTB 143** 22" dia. Base



2200 Series Hand Dryers

- Units are equipped with 120 second power cut offs
- ROYDRY2200ES** Push Button Operation
- ROYDRY2200EA** Touch-Free Operation





Contact this dealer
for pricing!



Classic Beverage Dispenser

• Cash & Carry packaging
H953 3 gal.

Classic Oval Baskets

• Polyethylene construction
• Available in black, green or red
1074 9 3/8" x 6"

Universal InvertaTop™ ValveTop™ Squeeze Bottles

• Universal valve design works with a variety of low/high viscosity, slow/fast-flowing liquids, as well as chunky sauces - anything with up to 1/8" particles

12SVL	12 oz.	1/dz.
16SVL	16 oz.	1/dz.

Drip Tray

• Anti-slip square rubber tray
6SBK 6 1/2" x 6 1/2"

Bamboo Paddle Picks


• Picks with paddle on one end
BAMP45 4 1/2" 100/pk.

Bamboo Loop Picks

• Picks with loop on one end
BAML45 4 1/2" 100/pk.

Bamboo Ball Picks

• Picks with a colored ball on one end
BAMBA7 7" 100/pk.



Firm Grip™ Utensils

• Patented, ergonomic, soft grip handles

E5629	Oyster Shucker	ea.
E5628	Shrimp Deveiner	ea.
E5632	Grater/Zester	ea.



SaferFood Solutions™ PourMaster® Series w/Long Neck Top™

• Includes container, Long Neck Top™ and StorMaster™ Cap
• Color-coded for easy storage and identification
• Easy to clean - assured sanitation, dishwasher safe
N32A 1 qt.



Back Of The House™ 6-Sided Grater

• Each side features a different grating surface
• Stainless steel with non-slip foot
SG204BH 5 1/2" x 4 1/2" x 9 1/4"



Citrus Juicer

• Metal, hand-squeezed citrus juicer
V119 Yellow



General® Digital Microwaves

• Digital touch-pad controls with 10 programmable power levels and 1.2 cubic foot capacity

GEW 1100E	1100W
GEW 1800E	1800W
GEW 2100E	2100W



General® Slicer

• The compact design is ideal for smaller operations where space is at a premium
GSE110 10" Blade 1/5 hp



General® Commercial Mixer

• An all purpose mixer with planetary mixing action that consistently blends, mixes and aerates all ingredients with satisfactory results
• Overload switch protects the motor
GEM120 20 qt. 1 1/2 hp #12 hub



Maxx Cold X-Series Refrigerated Countertop Merchandiser

• Features a double pane glass door to keep products at exactly the right temperature

MXM1-2.5R	1 Door/2 Shelves	2.5 cu. ft.
------------------	------------------	-------------



Maxx Cold Keg Cooler

• Cooler with direct draw beer tower featuring a sanitary stainless steel top and black coated steel exterior for durability and easy cleaning
• 3' polished stainless steel draft tower
• Easy to access refrigerated storage area
• 32°F to 40°F temperature range
M CBD24-1B 1 Door/1 Tower



Maxx Cold X-Series Glass Door Merchandiser Cooler

• Holding temperature: 35°F to 43°F
• 54" W x 32" D x 79" H overall
MXM248R 2 Doors 48 cu. ft.



Maxx Cold X-Series Pizza Prep Table

• Comes with adjustable, heavy-duty wire shelves (one per section/door) and includes four casters (two locking, two non-locking)
• 28°F to 39°F temperature range
MXCPP70 2 Doors 70 1/2" W



Blakeslee Undercounter Dishwasher

• All stainless steel construction
• Seven independent cycles: economy, economy plus, glassware, flatware, dishware, pot and pan, and programmable
UC20 Up to 45 Racks/hr.



Timer/Clock, Thermometers, Knives, Connector Kits, Filters



Pocket Digital Timer/Clock

- Magnetic back clip adheres to any metal surface, clips to an apron or becomes a handy stand
- 24 hour count-down capacity
- Memory function enables storage of a pre-set time
- Clock, timer and count-down functions can operate simultaneously

UTL882 Battery Included

Waterproof Pocket Digital Thermometer

- High accuracy $\pm 1^\circ\text{F}$, 0.5°C
- Waterproof housing
- Thin tip probe for fast response in under six seconds
- Auto power off conserves battery life
- Slim profile fits flat in pocket
- Data hold to freeze a reading
- BioCote[®] antimicrobial reduces the risk of cross contamination
- Field calibratable

PDQ400 -4°F to 400°F / -20°C to 200°C

NSF

Refrigerator/Freezer Thermometer

- Can hang or stand
- Blue and green zones indicate safe temperatures
- Red zone indicates possible spoilage
- Accuracy ± 1 division

RFT2AK -20°F to 80°F

NSF

Dial Hot Holding Thermometer

- Helps ensure hot foods stay hot
- Stainless steel construction
- Easy to read HACCP zones

DHH 100°F to 180°F

NSF



Contact this dealer for pricing!

V-Lo[®] Cutlery

- Distinctive Dex-Tex[™] Armadillo texture
- Stain-free, high-carbon steel blade, ultimate, long lasting sharp edges

29473	3 1/2"	Paring Knife
29483	3 1/2"	Scalloped Paring Knife
29013	6"	Narrow Boning Knife
29243	8"	Cook's Knife
29253	10"	Cook's Knife
29273	7"	Duo-Edge Santoku
29283	9"	Duo-Edge Santoku
29323	9"	Scalloped Offset Sandwich Knife
29373	6"	Scalloped Utility Knife
29383	8"	Scalloped Utility Slicer
29343	12"	Duo-Edge Roast Slicer
29123	12"	Diamond Sharpener

NSF



Blue Hose[™] Deluxe Gas Connector Kits w/Swivel MAX[®]

- Quick disconnect gas hose kits
- Each kit contains one stainless steel gas connector with push-to-connect quick disconnect coupling, Swivel MAX[®] end fitting, coiled restraining device with installation mounting hardware, full port gas ball valve and 90° street elbows

1650KITS36	1/2" ID x 36" L
1650KITS48	1/2" ID x 48" L
1675KITS36	3/4" ID x 36" L
1675KITS48	3/4" ID x 48" L
16100KITS48	1" ID x 48" L

Hydro-Safe[®] QT[™] Ice Maker Filter System

- Reduces scale, sand, silt, sediment, rust, chlorine taste and odor
 - This filtration system consists of two 3/8" NPT lead-free brass ball valves, flush kit for easy installation and maintenance, and a high strength polypropylene filter housing mounted on a powder coated steel bracket
 - Includes isolation ball valves and flush kit
 - One-stage filter, 1.5 GPM
- QTCBMX-1L-1M** 22,000 gal. Capacity



Hydro-Safe[®] QT[™] Steamer Filter System

- Reduces scale, sand, silt, sediment, rust, chlorine taste and odor
 - The unit consists of two 1/2" NPT lead-free brass ball valves, a flush kit for easy installation and maintenance, and high strength polypropylene filter housings mounted on a powder coated steel bracket
 - Includes isolation ball valves, flush kit and pressure gauges
 - Two-stage filter, 1.5 GPM
- QTSTMMAX-2S-10M** 15,000 gal. Capacity





Grill-Max® Hot Dog Roller Grills



- Heavy-duty motor provides 360° rotation of rollers
- Optional Duratec® coated non-stick rollers provide the best non-stick high performance coating for high volume operations
- Electronic units have an LED display that provides temperature reading of grilled product for both the cook and hold cycles

Infinite Controls

30C	30 Dogs	Chrome Rollers
30SC	30 Dogs	Non-Stick Rollers

Electronic Controls

30CE	30 Dogs	Chrome Rollers
30SCE	30 Dogs	Non-Stick Rollers

Infinite Controls w/Clear Bun Box

30CBBC	30 Dogs/24 Buns	Chrome Rollers
30SCBBC	30 Dogs/24 Buns	Non-Stick Rollers

Star-Max® Electric Charbroilers



- Two types of heat transfer, radiation direct from elements and conduction through the grates
- Infinite control every 12" of cooking surface for precise temperature control
- Heavy-duty cast iron grates are removable for fast clean up

5124CF	2 Controls	24"W
5136CF	3 Controls	36"W

Star-Max® Gas Charbroilers



- Double wall construction and enclosed bottoms
- Cool-to-the-touch stainless steel bull nose fronts
- Gas convertible with conversion kit (included)

Lava Rock

6024CBF	2 Controls	24"W
6036CBF	3 Controls	36"W
6048CBF	4 Controls	48"W

Radiant

6115RCBF	1 Control	15"W
6124RCBF	2 Controls	24"W
6136RCBF	3 Controls	36"W
6148RCBF	4 Controls	48"W


Star-Max® Electric Countertop Fryers



- Snap-action thermostats range from 200°F to 375°F
- Two large nickel plated steel mesh side hanging baskets
- All stainless steel cabinets
- Heavy-duty 4" adjustable legs

510FF	10 lb.	120V	1800W
515EF	15 lb.	208/240V	3455/4600W
301HLF	15 lb.	208/240V	4130/5500W

Star-Max® Cheesemelter



- Quartz infrared elements, provide faster more consistent heating compared to traditional metal heating elements
- Energy efficient operation with power saver feature reduces electricity consumption by 75%
- Features a 15 minute timer

526CMA 18½"W 1,600W

Grill Express™ Sandwich Grills



- Heavy-duty cast iron platens, smooth or grooved
- Versatile grilling height to accommodate the flattest tortilla to a 3" sandwich
- GX10IG pictured

10" x 10" Cooking Surface

GX10IG	Grooved
GX10IS	Smooth

14" x 10" Cooking Surface

GX14IG	Grooved
GX14IS	Smooth

Star-Max® Gas Countertop Fryer



- Snap-action thermostats range from 200°F to 375°F
- Two nickel plated steel mesh side hanging baskets are standard, providing continuous flow of product during peak periods
- Heavy-duty 4" adjustable legs

615FF 15 lb. 30,000 BTU

Contact this dealer for pricing!

Star-Max® Twin Pot Electric Countertop Fryer



- Two 15 lb. capacity
- Independent temperature control for each kettle
- Snap-action thermostats range from 200°F to 375°F
- Heavy-duty 4" adjustable legs

530TEF 280/240V 6910/9200W

Holman® QCS1 Compact Conveyor Toaster



- Uses only 14¼" of counter space
- Exclusive infrared convection and quartz infrared heater with variable speed control, power saver and high limit switch

QCS1-350 Up to 350 Slices/hr.

Holman® QCS2 Conveyor Toasters



- Quartz infrared heaters provide faster, more consistent heating than traditional heating elements
- Heated holding area to keep toast at the perfect temperature

QCS2-500 Up to 350 Slices/hr.

QCS2-800 Up to 800 Slices/hr.

Star-Max® Vertical Broilers



- Fully adjustable range of temperature for precise cooking performance
- 5 to 45 lb. meat capacity
- Constructed of stainless steel front and sides
- Back, bottom, rotisserie rod and pans are constructed of aluminized steel

VBE30	Electric
VBG30	Gas (NAT/LP)

Star-Max® Griddles



- Units adjust from 150°F to 450°F
- Adjustable heavy-duty 4" legs
- Longer lasting, heavy-duty metal knobs

Electric/Thermostatic

515TGF	1 Control	15"W
524TGF	2 Controls	24"W
536TGF	3 Controls	36"W
548TGF	4 Controls	48"W

Gas/Thermostatic

615TF	1 Control	15"W
648TF	4 Controls	48"W

Gas/Thermostatic w/Safety Pilot

624TSPF	2 Controls	24"W
636TSPF	3 Controls	36"W
648TSPF	4 Controls	48"W

Gas/Manual

615MF	1 Control	15"W
624MF	2 Controls	24"W
636MF	3 Controls	36"W
648MF	4 Controls	48"W

Heating/Cooking Equipment, Miscellaneous Smallwares

Full Size Heaters/Proofers

- Welded aluminum construction
- Mechanical controls, lexan doors
- Set of 5" swivel casters with brakes
- 6' detachable cords and plugs

E9451HP34CDN Non-Insulated
9451HP34CDN Insulated



Manual Gas Griddles

- Designed with 1/4 turn manual control and standing pilots
- High performance 20,000 BTU aluminized steel "U" shaped burners
- 3/4" rear gas connections and universal pressure regulators supplied

TMGM24 2 Controls 24"W
TMGM36 3 Controls 36"W
TMGM48 4 Controls 48"W

Gas Griddles w/Thermostatic Controls

- Units feature throttling thermostats that adjusts from 150°F to 450°F
- Units are 15¹⁷/₃₂" H x 27¹³/₁₆" D
- 3/4" rear gas connections and universal pressure regulators supplied

TMGT24 2 Controls 24"W
TMGT36 3 Controls 36"W
TMGT48 4 Controls 48"W



Hot Food Drawers

- Removable stainless steel food pans with coved corners included
- Thermostatically controlled for accurate temperatures
- Moisture control knob
- Temperature range 100°F to 200°F
- Holds standard 6" deep 12" x 20" hotel pans
- 29³/₄" W x 26" D x 15" H overall

HFS09 120V
HFS72 208/240V



Model 3A81DT09 Shown

Gas Charbroilers

- Stainless steel fronts including top rails
- 30,000 BTU per foot
- Units are 15¹⁵/₃₂" H x 26³/₃₂" L
- 4" nickel plated steel legs
- 3/4" rear gas connections

Lava Rock

TMLC24 2 Controls 24"W
TMLC36 3 Controls 36"W

Radiant

TMRC24 2 Controls 24"W
TMRC36 3 Controls 36"W
TMRC48 4 Controls 48"W



Contact this dealer for pricing!



Anchor Hocking Mixing Glass

• Sure Guard™
379045 16 oz. 24/cs.



Libbey Mixing Glass

• DuraTuff®/Heat Treated
369193 16 oz. 24/cs.



Cardinal Pub Glass

• Fully Tempered
538412 16 oz. 24/cs.



Guest Checks

- Single paper green guest check has a "Menu Prompt" for better customer service
 - 100 checks/book, 50 books/case
- 412446** 16 Lines 50/100/cs.



Beer Clean® Last Rinse Sanitizer

- Powdered compound contains trichloromelamine (TCM) for sanitization of bar glassware
- Laboratory tested to kill E. coli and Staph
- Delivers 100 ppm available chlorine
- Accepted by breweries throughout North America

369268 1/4 oz. Packet 100/cs.

Hand-Tek® Latex Gloves

- Manufactured with USDA approved materials that comply with FDA 21 CFR 177.2600 for food handling
- 387557** Large (Powdered) 10/100/cs.
387565 Large (Powder-Free) 10/100/cs.



Hand-Tek® Vinyl Gloves

- Powder-free, so they are ideal for the powder sensitive individual
- 386559** Large 10/100/cs.



Fryer Puck™ Fryer Cleaner Tablets

- Low foaming concentrated fryer boil-out tablets
- A heavy-duty alkaline detergent formulated to meet the toughest cleaning tasks
- Tablets have excellent cleaning capacity and high soil, fat and grease tolerance

400886 Box of 5 6/5/cs.

Carbon-Off™ Heavy-Duty Carbon Grease Remover

- Dissolves carbon buildup from metal surfaces
- Safe on aluminum

398269 19 oz. Aerosol 6/cs.
398272 32 oz. Liquid 6/cs.



Sheila Shine® Stainless Steel Cleaner/Polish

- Does not contain acid, silicon or any abrasives
- Resists fingerprints and streaking

521390 10 oz. Aerosol 12/cs.



T-Series Reach-In Refrigerators & Freezer

- Oversized refrigeration, stainless steel fronts and exterior temperature displays
- Refrigerators maintain a temperature of 33°F to 38°F
- T-23F maintains a temperature of -10°F
- 4" diameter swivel casters standard
- Anodized aluminum ends, back and top

T-43 2 Door Refrigerator,
47" L x 29 1/2" D x 78 5/8" H*

T-49 2 Door Refrigerator,
54 1/8" L x 29 1/2" D x 78 5/8" H*

T-72 3 Door Refrigerator,
78 1/8" L x 29 1/2" D x 78 5/8" H*

T-23F 1 Door Freezer,
27" L x 29 1/2" D x 78 5/8" H*

*Does not include height for casters

Reach-In Refrigerator & Freezer

- High capacity, factory balanced refrigeration systems
- Refrigerator maintains cabinet temperatures of 33°F to 38°F for the best in food preservation
- Freezer maintains -10°F temperature
- Exterior—stainless steel doors and front, with matching aluminum sides
- Interior—aluminum side walls and back
- Stainless steel floor and ceiling
- Adjustable, heavy-duty PVC coated shelves

STM2R-2S 2 Door Refrigerator,
52 5/8" L x 33 3/4" D x 78 1/4" H*

STM1F-1S 1 Door Freezer,
27 1/2" L x 33 3/4" D x 78 1/4" H*

*Does not include height for casters



Glass Door Merchandisers

- Exterior—non-peel or chip laminated vinyl
- Interior—NSF approved, white aluminum interior liner with stainless steel floor
- Refrigerators hold temperature of 33°F to 38°F
- LED interior lighting
- Available in white or black finish

Refrigerators

GDM-23-LD 1 Swing Door, 4 Shelves,
27" L x 29 7/8" D x 78 5/8" H

GDM-47-LD 2 Slide Doors, 8 Shelves,
54 1/8" L x 29 5/8" D x 78 5/8" H

GDM-72-LD 3 Swing Doors, 12 Shelves,
78 5/8" L x 29 7/8" D x 78 5/8" H

Contact this dealer for pricing!



Direct Draw Draft Beer Dispensers

- Attractive, wear-resistant laminated heavy-duty black vinyl exterior
- All stainless steel countertop
- Interior—stainless steel floor with 1/2" lip and heavy galvanized steel walls
- Forced-air refrigeration system
- Temperature range: 33°F to 38°F
- Foamed-in-place, high density polyurethane insulation
- 3" diameter beer columns
- Door locks are included

TDD-2 2 Doors - Holds 2 Half Barrels,
58 7/8" x 27 1/8" x 37"

TDD-3 2 Doors - Holds 3 Half Barrels,
69 1/8" L x 27 1/8" D x 37" H



Glass Door Back Bar Coolers

- "Low-E", double pane thermal glass door assemblies with extruded aluminum frames
- Exterior—heavy-duty, wear-resistant laminated black vinyl front and sides
- Interior—stainless steel floor with 1/2" reinforced lip and heavy gauge galvanized steel walls
- NSF-7 approved for packaged and bottled product
- Holds temperature of 33°F to 38°F
- LED interior lighting

TBB-24-48G-SD-LD 2 Slide Doors, 4 Shelves - Holds 48 Six Packs or 2 Half Barrels,
49 1/8" L x 24 1/2" D x 35 5/8" H

TBB-3G-LD 2 Swing Doors, 4 Shelves - Holds 112 Six Packs or 3 Half Barrels,
69 1/8" L x 27 3/4" D x 37" H



Dual Zone Curved Glass Display Case

- Combination dry/refrigerated display case
 - Self-contained, environmentally friendly (CFC-free) 134A refrigeration system
 - Refrigerated section features an efficient low velocity, high volume airflow design maintaining 38°F to 40°F without drying out product
 - NSF-7 certified to hold open food product
 - Insulated, double pane curved glass front and side panels
 - Adjustable, lighted, cantilevered PVC-coated shelves and stainless steel top
 - Exterior front and sides standard with white laminate panels, five additional color options available at no charge
 - White aluminum interior sides and top
- TCGDZ-50** 2 Slide Doors, 6 Shelves,
50⁷/₈"L x 35¹/₂"D x 47⁷/₈"H



Undercounter Refrigerator

- Oversized, environmentally friendly refrigeration system (134A)
- Holds 33°F to 38°F temperature
- 360° circular airflow for uniform product cooling
- All stainless steel front, top and sides
- Interior—attractive, NSF approved, white vinyl coated aluminum sides and top, coved corners and stainless steel floor
- Aluminum finished back, front breathing
- Doors swing within cabinet dimensions
- Self-contained system
- Foamed-in-place high density polyurethane insulation (CFC-free)

TUC-48 2 Doors, 4 Shelves,
48³/₈"L x 30⁷/₈"D x 29³/₄"H*

*Does not include height for casters



Pizza Prep Table

- Stainless steel front, top and sides with matching aluminum finished back
- Oversized, environmentally friendly (134A) forced-air refrigeration system holds 33°F to 41°F
- Stainless steel, patented, foam insulated flat lids keep pan temperatures colder, lock in freshness, and minimize condensation
- Extra-deep 19¹/₂" full length removable cutting board
- 6" deep poly insert pans included
- Front breathing
- Heavy-duty PVC coated wire shelves
- 5" swivel casters standard equipment

TPP-67 2 Doors, 4 Shelves,
67¹/₄"L x 32¹/₄"D x 35³/₄"H*

*Does not include height for casters

Contact this dealer for pricing!



Food Prep Tables

- All stainless steel front, top and ends
- Matching aluminum finished back
- Stainless steel, patented, foam insulated lid and hood keep pan temperatures colder, lock in freshness and minimize condensation
- Foamed-in-place using Ecomate, a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP)
- Energy saving, environmentally friendly (134A), exclusive forced-air refrigeration system holds 33°F to 41°F
- 8" deep, 1/2" thick, full length removable cutting board included - made of sanitary, high density, NSF approved white polyethylene

TFP-32-12M 1 Door, 2 Shelves 12 Pans (Top) 32¹/₈"L x 31¹/₂"D x 45³/₄"H
TFP-48-18M 2 Doors, 4 Shelves 18 Pans (Top) 48¹/₈"L x 31¹/₂"D x 45³/₄"H
TFP-64-24M-D4 4 Drawers 24 Pans (Top) 64¹/₈"L x 31¹/₂"D x 45³/₄"H



Chef Base

- Oversized, environmentally friendly (134A) forced-air refrigeration system holds 33°F to 38°F
- Cabinet top is one-piece, heavy-duty reinforced stainless steel and supports up to 2,000 lbs.
- Drip resistant V-edge protects against spills
- All stainless steel front, top and sides
- Matching aluminum finished back
- Heavy-duty stainless steel drawer slides and rollers
- Each drawer holds two full size pans

TRCB-110 6 Drawers 110"L x 30¹/₂"D x 20³/₈"H*
 *Does not include height for casters



Handle Wastes

- Fits 3¹/₂" sink opening
- Without drain reducer
- Nickel plated with die-cast zinc body
- Stainless steel strainer, drain, flange and handle

100-2006 Lever Handle

100-2005 Twist Handle




Waste Repair Kit

- Contains common replacement parts for all Franklin Machine Products, Barnett Premier, Chicago, Component Hardware Group, Standard Keil, and T&S Brass wastes

- Cannot be used on old style 3976 and 3979 series lever wastes

100-1011 For Lever & Twist Handle Wastes



Waste Flange Tool

- Heavy-duty tool for removing or installing lever and twist wastes with 2³/₄" or 3¹/₈" slots
- Works for both 3" and 3¹/₂" sink openings

142-1113 Stainless Steel

4¹/₂"H Door Closers

- Heavy-duty hydraulic door closers
- Ideal for doors with magnetic gaskets
- Quiet action

124-1000 Flush Offset

124-1001 1¹/₈" Offset



7" H Door Closers

- Heavy-duty hydraulic door closers
- Ideal for doors with magnetic gaskets
- Quiet action

124-1160 Flush Offset

124-1161 1¹/₈" Offset



NLSP60-16



NLSMP48-18



Contact this dealer for pricing!

AdvantEDGE™ Sandwich Food Prep Refrigerators

- Stainless steel interior and exterior
- 1/6 size pans and 1/9 size pans included, casters standard
- R-134a refrigerant
- Temperature range: 32°F to 40°F

Standard Top Units

NLSP27-8	1 Door, 1 Shelf	7 cu. ft.	27 ¹ / ₂ "W x 42 ¹ / ₂ "H x 30"D
NLSP36-10	2 Doors, 2 Shelves	10 cu. ft.	36 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D
NLSP48-12	2 Doors, 2 Shelves	13 cu. ft.	48 ¹ / ₄ "W x 42 ¹ / ₂ "H x 30"D
NLSP60-16	2 Doors, 2 Shelves	16 cu. ft.	60 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D
NLSP72-18	3 Doors, 3 Shelves	20 cu. ft.	72 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D

Mega Top Units

NLSMP36-15	2 Doors, 2 Shelves	10 cu. ft.	36 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D
NLSMP48-18	2 Doors, 2 Shelves	13 cu. ft.	48 ¹ / ₄ "W x 42 ¹ / ₂ "H x 30"D
NLSMP60-24	2 Doors, 2 Shelves	16 cu. ft.	60 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D
NLSMP72-30	3 Doors, 3 Shelves	20 cu. ft.	72 ³ / ₈ "W x 42 ¹ / ₂ "H x 30"D

AdvantEDGE™ Pizza Prep Tables

- Standard features include stainless steel interior and exterior, aluminum back and galvanized bottom, air cooled condensing unit, automatic condensate vaporizer, automatic defrost, capillary tube system, interior temperature indicator, adjustable temperature control, 6" casters and a 19"D reversible cutting board
- Complete cabinet and doors are foamed-in-place with polyurethane insulation
- Self-closing doors with magnetic gasket
- 1/3 size pans provided
- Units are 36³/₈"D x 42¹/₈"H

NLPT44	1 Door, 2 Shelves	9.7 cu. ft.	44 ² / ₅ "W	3/8 hp
NLPT67	2 Doors, 4 Shelves	17.8 cu. ft.	67"W	3/8 hp
NLPT93	3 Doors, 6 Shelves	28.2 cu. ft.	93 ⁷ / ₁₆ "W	1/2 hp



NLPT67

AdvantEDGE™ Refrigerated Chef Bases


- Standard features include adjustable temperature control, automatic condensate evaporator, capillary tube system, digital temperature indicator, full 3/4" marine edge top, full size pan adapter bars (pans not included), 4" casters, stainless steel exterior finish, stainless steel interior finish and stainless steel drawers
- Temperature range: 35°F to 40°F
- Units are 31"D x 25¹/₂"H

NLCB53	2 Drawers, 6 Full Size Pans	53"W	1/5 hp
NLCB60	2 Drawers, 6 Full Size Pans	60"W	1/5 hp
NLCB72	4 Drawers, 8 Full Size Pans	72"W	1/5 hp
NLCB84	4 Drawers, 10 Full Size Pans	84"W	3/8 hp
NLCB96	4 Drawers, 12 Full Size Pans	96"W	3/8 hp



NLCB72

Contact this dealer for pricing!



Easy Chopper™

- Interchangeable stainless steel cutting grids
- 3 1/2" square cutting area
- Comfortable, weighted handle does most of the work for you to cut a variety of foods
- Available in 1/4", 3/8", 1/2" and 1" chop

55500

Easy Tomato Slicer™

- Accommodates a 3 1/2" diameter tomato
- Vertical handle and protective guards improve user comfort and safety
- Available in 3/16", 1/4", 3/8" and 7/32" thick slices

55600

Easy Grill Scraper™

- Special ergonomic shape puts more pressure on the blade for better results
- Constructed of heavy-duty cast aluminum with a long lasting stainless steel blade

55825 4"H x 16"L x 6"W



Countertop Warmers & Cooker/Warmer

- Conduction type thermostat
 - Heavy-duty stainless steel well
- | | |
|-----------------|-------------------------|
| 6055A | Full Size Warmer (CE) |
| 6055A-43 | 4/3 Size Warmer |
| 6055A-CW | Full Size Cooker/Warmer |

Round Warmers & Cooker/Warmers

- Unique heating element provides even heat distribution to prevent "hot spots"
- No-drip rims

Warmers

6100A	7 qt.
6101A	11 qt.

Cooker/Warmers

6102A	7 qt.
6103A	11 qt.



Freestanding Infrared Bulb Warmers

- Units hold food at ready-to-eat temperatures
- Scratch-resistant two-coat finish is easy to clean
- Adjustable height from 15" to 21"

6000A-2	Aluminum, Gray Finish
6000A-2B	Black Finish
6000A-2C	Chrome Finish



Conveyor Toasters

- The convenient four-position rotary switch lets you choose from toasting on one side, toasting on both sides, standby mode or off
- Stainless steel construction, with a black textured powder-coat top
- 2 1/2" adjustable legs

6800	2-Slice	Up To 300 Slices/hr.
6805	3-Slice	Up To 1,000 Slices/hr.

Open-View Food Merchandisers

- High-quality tempered glass with no corner posts in the front, for optimum visibility
- Stylish backlit graphic headers on all three sides and interior lighting
- Stainless steel construction with a black powder coat textured finish

6420	Pizza Merchandiser	3-Tier, 12" Rack
6421	Pizza Merchandiser	3-Tier, 18" Rack
6422	Pizza Merchandiser	4-Tier, 18" Rack
6423	Pretzel Merchandiser	2-Tier, Revolving 8-Prong Rack
6424	Hot Food Merchandiser	3-Tier, Angled 15" Square Shelves
6425	Hot Food Merchandiser	3-Tier, Angled 19" Square Shelves



Infrared Strip Heaters

- Units hold food at serving temperature without drying out or overcooking
- Durable aluminum shells
- Units come with tubular heating elements
- 120V

On/Off Switch

6150-24	24"	500W
6150-36	36"	850W
6150-48	48"	1100W
6150-60	60"	1400W
6150-72	72"	1725W

On/Off Switch w/Cord & Plug

6150-24-CP	24"	500W
6150-36-CP	36"	850W
6150-48-CP	48"	1100W
6150-60-CP	60"	1400W
6150-72-CP	72"	1725W



Cold Condiment Chillers

- Cast aluminum well with thermoplastic top and stainless steel jacket
- Digital thermometer and temperature setting with Celsius and Fahrenheit readings

9020	Chiller Only
9020-1	Chiller w/(1) 1/3 SS Pan w/Clear Hinged Lid
9020-2	Chiller w/(2) 1/6 SS Pans w/Clear Hinged Lids
9020-3	Chiller w/(3) 1/9 SS Pans w/Clear Lids

Salt & Pepper Mills & Shakers, Racks, Carts, Shelving

CHEF SPECIALTIES



Capstan Wood Pepper Mill & Salt Shaker Set

- The pepper mill features a commercial quality stainless steel grinding mechanism
 - Made in the USA
- 04100** 4"

Cubic Pepper Mill & Salt Shaker Combo

- Clear acrylic combination pepper mill with salt shaker
- 01550** 3 1/2"



Gem Pepper Mill & Salt Shaker Combo

- Clear acrylic combination pepper mill with salt shaker
- 01850** 6 1/2"

Citation Salt & Pepper Mills

- Clear acrylic mills with long-lasting mechanisms
- 01752** 5 1/2" Salt Mill
01751 5 1/2" Pepper Mill



Professional Series Prentiss Stainless Steel Pepper Mill

- Brushed stainless steel body
 - Professional Series pepper mill grinding mechanism is made from solid, cutlery-grade stainless steel, to endure commercial use
 - Features a unique grind indicator that can be adjusted from fine to extra coarse
 - Grinding mechanism accompanied by a lifetime warranty
 - Not dishwasher safe; do not immerse
- 12401** 12"



Imperial Wood Pepper Mill

- Pepper grinder features a commercial quality stainless steel grinding mechanism
 - Made in the USA
- 10151** 10"



President Wood Pepper Mill

- Made with a commercial quality stainless steel grinding mechanism
 - Made in the USA
- 12100** 12"



Contact this dealer for pricing!



Mobile Pan Rack w/Worktop

- Comes with 3/4" thick thermoplastic worktop
 - Pan slides will accommodate 18" x 26" pans
 - Fully assembled and ready for use
 - Front loading, 3" spacing, 9 pans, NSF
- 425AP** Regular 1/2 Size



Mobile Pizza Pan Rack

- Aluminum work table for holding, storing, and transporting pizza pans
 - Bottom load ledge design with 2" spacing
 - Non-marking thermoplastic rubber wheels
- PR12** 32 1/2"H x 22"W x 20"D



Keg Storage Racks

- For the storage of beer kegs; wet or dry general storage
- Heavy-duty, high tensile extruded aluminum
- Adjustable shelf heights accommodate 1/4 barrel and 1/2 barrel sizes
- Tubular top shelf for general merchandise
- Units ship knocked down and are easy to assemble

KAR60	6 Kegs	60"W x 17"D x 68"H
KAR80	8 Kegs	80"W x 17"D x 68"H
KAR93	10 Kegs	93"W x 17"D x 68"H


Keg Dolly

- Aluminum base has four lips up and four lips down to hold keg in place
 - Four 3" platform type casters for an easy to maneuver design
- KDA17** 275 lb. Capacity



Tubular Wall Shelf

- Includes five hooks bar
 - Heavy-duty, high tensile aluminum
- TWS1248/PH** 48"W x 12"D



Utility/Bussing Carts

- Three shelf, multi-purpose, all-welded carts
 - 500 lb. distributed weight capacity
 - Rolls easily on all swivel 5" polyurethane casters
 - 18 gauge 304 series stainless steel construction
- US15243** 32 1/8"H x 27 5/8"L x 16 3/4"W
US18273 32 1/8"H x 31"L x 19"W
US21353 37 1/4"H x 39 1/4"L x 22 3/8"W

Bun Pan Racks

- Knock Down**
425AKD Half Size
401AKD Full Size
- Economy Model**
401AC 20 Pan Capacity





1 HP Commercial Blender

- Comes with a stackable and nearly unbreakable, BPA-free Tritan container
- Stainless ball bearing blade system
- Ice crushing power, two speeds - the ultimate bar blender

BLE-110 48 oz.

Sommelier Series Wine Aerator

- Aerates your wine as you pour
- The easy to use design fits into virtually any size wine bottle
- Cleans quickly and easily

BMP-600AR Red 2-Pack

Electric Glass Washer

- Five brush upright glass cleaner
- Four 7" brushes and one 8" center brush
- Effortlessly removes lipstick and fruit pulp
- No special plumbing or electrical work necessary
- Heavy-duty stainless steel construction
- Variety of brushes available for all sizes of glassware
- GFCI protected
- One year warranty
- Made in the USA

AA 17³/₄"H x 12"D x 9"W 1/3 hp 115V/60



Keg & Pail Dolly

- Heavy-duty metal construction
- Ideal for moving kegs, buckets, and most sizes of trash cans

DOL-100 400 lb. Capacity

Replacement Glass Brush Set

- Replacement stock brushes
- Universal, fits most all brands
- Set includes four 7" brushes and one 8" brush

BSET 5-Brush Set



Security Wristbands

- No-tear, Tyvek® material, waterproof

WB-100 Solid Colors 500/pk.

Contact this dealer for pricing!



120V
240V



Sealed Well Electric Hot Food Tables

- Stainless steel undershelf
- Stainless steel body, top and legs
- Fiberglass insulation between each compartment
- 1" thick poly cutting board

SW-3E-120 3 Wells 47¹/₈"L 120V
SW-4E-240 4 Wells 62⁷/₁₆"L 208/240V

Electric Hot Food Tables

- Stainless steel top, apron and undershelf
- 1" thick poly cutting board
- Individual well temperature control

HF-3E-120 3 Wells 47¹/₈"L
HF-4E-240 4 Wells 62⁷/₁₆"L



Gas Hot Food Tables

- Pilot indicator opening
- Galvanized steel liner
- Stainless steel body and undershelf
- Stainless steel legs with non-marking tips
- Control knobs with high, medium, and low settings
- Fiberglass insulation between each compartment
- Stainless steel top with die stamped pan openings

Liquid Propane

HF-3G-LP 3 Wells 47¹/₈"L 10,500 BTU
HF-4G-LP 4 Wells 62⁷/₁₆"L 14,000 BTU

Natural Gas

HF-3G-NAT 3 Wells 47¹/₈"L 10,500 BTU
HF-4G-NAT 4 Wells 62⁷/₁₆"L 14,000 BTU

Wet Bath Tables

- Stainless steel lining, top, apron and undershelf
- One temperature control, high-medium-low
- 1" thick poly cutting board and stainless steel dish shelf

Liquid Propane

WB-3G-LP 3 Wells 47¹/₈"L 15,000 BTU
WB-4G-LP 4 Wells 62⁷/₁₆"L 25,000 BTU

Natural Gas

WB-3G-NAT 3 Wells 47¹/₈"L 15,000 BTU
WB-4G-NAT 4 Wells 62⁷/₁₆"L 25,000 BTU





Camtainer® Insulated Beverage Server

- Use to hold, transport and serve hot or cold beverages
 - One piece, seamless double-wall polyethylene with thick foam insulation
 - Sturdy plastic latches secure lids tightly and will never rust
 - Drip-proof recessed spigot for easy self-serve access
 - Stack units on riser to fill large cups or coffee pots
 - Sta-stack interlocking ensures stable stacking during transport and storage
 - Self-adhesive beverage label set included
 - Available in black, brick red, coffee beige, dark brown, granite sand, green, hot red, navy blue or slate blue
- 100LCD** 1½ gal.

Combo Cart™ Plus Carts

- Insulated food transporters that provide passive hot or cold holding for four hours or more
- Durable, rust-free, dent-free, one-piece molded polyethylene body filled with polyurethane foam insulation that holds food at safe temperatures
- Adjustable stainless steel universal rails
- Electric/heated units feature separate, dual compartments with heaters
- Units come standard with 6" casters

Non-Electric

CMBPL615	Low Cart	110V
CMBP615	Tall Cart	110V

Electric/Heated

CMBPLH615	Low Cart	110V
CMBPH615	Tall Cart	110V
CMBPH2615	Tall Cart	220V

Meal Delivery Carts

- One louvered vent and self-venting door provide air circulation throughout the cart
 - Molded-in tray rails and 5" non-marking, durable, offset stainless steel casters ensure quiet meal delivery
 - Menu clip holds routing directions or content lists
 - Lightweight, self-venting, ABS door is non-insulated and opens a full 270°
 - Molded-in marine rail provides an additional work surface during service; Note: marine rail is designed for use during service, not transport
 - Molded-in, full-perimeter, bottom bumper protects the cart, walls and furniture
 - Units can hold up to 10 (15" x 20") trays
- MDC1520S10191** Granite/Gray
MDC1520S10194 Granite/Sand

Contact this dealer for pricing!



Countertop Mixers

- Commercial grade table models designed specifically for small commercial mixing applications
 - These tabletop mixers are small enough to fit into any kitchen yet robust enough for continuous use
 - The compact design provides for a smaller footprint, easier cleaning, and greater portability
 - Five speed direct drive transmission
 - Digital control panel
 - Non-skid rubber base
- 40755** 7 qt. 1/3 hp
40756 10 qt. 1/3 hp



ServeWell® SL Hot Food Tables

- ServeWell® SL hot food tables are streamlined versions of the original, providing incredible value, with the rugged performance you've grown to expect
 - Designed to hold foods at temperatures above the HACCP danger zone of 140°F
 - Units will accept full-size or fractional pans to 4" deep, and can be used with standard adapter plates and insets
 - Thermostatic heat controls automatically adjust for water temperature and food volume
 - Non-stick surface on heating elements prevents scale build-up
- | | | | |
|--------------|---------|-------------------------|-------|
| 38213 | 3 Wells | 46" L x 29½" D x 34" H | 2100W |
| 38214 | 4 Wells | 61¼" L x 29½" D x 34" H | 2800W |
| 38215 | 5 Wells | 76" L x 29½" D x 34" H | 3500W |



Floor Mixer

- 12" hub accommodates meat grinder and vegetable slicer attachments for flexibility between grinding, slicing and mixing
 - Three speed transmission
 - Safety cut-switch automatically turns the unit off if gears are changed without stopping the mixer
 - Includes: dough hook, wire whisk, spatula, stainless steel mixing bowl and safety guard
- 40757** 20 qt. 1/2 hp



Light-Duty Slicer

- Space-saver design with smaller footprint for tight areas
 - Recessed drip edge and non-stick finish
 - Not recommended for slicing cheese
- 40901** 10" Blade 1/3 hp



Heavy-Duty Slicer

- Slicer with non-stick finish and Safe Blade Removal system
 - Recessed drip edge
 - Belt drive
- 40904** 12" Blade 1/2 hp



TAYLOR
Precision Performance Since 1851



Digital Portion Control Scales

- Scales come with a stainless steel platform with a marine edge
- Standard features include an extra large, easy-to-read LCD display, as well as tare and hold functions
- Auto-off and disable auto-off feature when powered by batteries
- Units can be powered by either an AC adapter (included) or also by 2 AAA batteries (not included)

TE32FT 2 lb. x 0.01 oz./1 kg x 0.5 g 5 1/4" x 5 1/4" Platform

TE11FT 11 lb. x 0.1 oz./5 kg x 1 g 7 1/8" x 7 1/8" Platform
w/Calibration Feature

SPILL-STOP MFG. LLC

The most popular pourer in the world!

Chrome Tapered Pourer

- Seamless, tapered spout
- Controlled, medium-speed pouring

28550 w/Poly Cork 1 dz.

All Made In The USA!

Ban-M® Pourer

- Pourer with the screen
- Keeps insects out

31300 Clear/Black Collar 1 dz.



Classic White Series



THUNDER GROUP
SINCE 1956

Classic White Series Rectangular Trays

- Melamine
- Priced per dozen

49095WT	Rectangular Tray	9 1/2" x 5 1/4" x 3/4"D
47128WT	Rectangular Tray	12 1/2" x 8" x 1 1/8"D
49136WT	Rectangular Tray	13" x 6 1/2" x 1"D
49168WT	Rectangular Tray	16 1/8" x 8" x 1 1/8"D
49208WT	Rectangular Tray	20" x 8" x 1 3/8"D



Classic White Series Dinnerware

- Melamine
- Priced per dozen

19001WT	Sauce Dish	2 oz., 3 3/4" x 2 1/2"
19002WT	Twin Sauce Dish	4 oz., 6" x 3"
19035WT	Round Saucer	3 1/2" x 3 3/4"D
19045WT	Round Saucer	4 1/2" x 1"D
19055WT	Round Saucer	5 1/2" x 1 1/4"D
39045WT	Bowl	11 oz., 4 1/2" x 2 1/4"D
39050WT	Bowl	16 oz., 5 1/8" x 2 5/8"D
39055WT	Bowl	19 oz., 5 5/8" x 2 1/2"D
39093WT	Soup Bowl	45 oz., 9" x 3"D
29004WT	Square Plate	4 1/2" x 1 1/2"D
29006WT	Square Plate	6" x 1 1/2"D
29007WT	Square Plate	7 1/4" x 1 1/2"D
29010WT	Square Plate	10" x 1"D
29012WT	Square Plate	12" x 1"D
24006WT	Flare Plate	6" x 1"D
24007WT	Flare Plate	7 3/8" x 1 3/8"D
24010WT	Flare Plate	10" x 1 3/4"D
24012WT	Flare Plate	12 3/8" x 2"D
29110WT	Plate	10 1/4" x 4" x 1"D
29115WT	Plate	15" x 5 1/4" x 1"D
24110WT	Rectangular Plate	11 1/4" x 5"
24120WT	Wave Rectangular Plate	11 1/4" x 7 1/4"
24140WT	Wave Rectangular Plate	13 1/2" x 9 3/8"

Contact this dealer for pricing!



Classic White Series Square Bowls

- Melamine
- Priced per dozen

69003WT	Square Bowl	2.5 oz., 2 5/8" sq. x 1 1/5"D
69004WT	Square Bowl	8 oz., 3 7/8" sq. x 1 1/4"D
69005WT	Square Bowl	22 oz., 5 1/2" sq. x 2 1/4"D
63010WT	Square Pasta Bowl	22 oz., 10 1/2" sq. x 1 1/2"D
62008WT	Square Salad Bowl	28 oz., 8 1/2" sq. x 1 3/8"D
69007WT	Square Bowl	40 oz., 7 1/8" sq. x 2 3/4"D
69009WT	Square Bowl	90 oz., 9" sq. x 3 3/8"D



RF Hunter™

pure oil filtration

ECCO One Oil Filter System

- For smaller drain type fryers
- Compact design allows for ease of operation and storage
- All metal parts are either stainless or nickel plated steel which provides years of carefree use
- Hose, motor and pump are specially constructed to handle high temperature edible cooking oils
- Equipped with heavy-duty switch, oil proof lead wire cord and three prong grounding plug
- Thermal and torque overload protection also provided
- Standard accessories: 50 filter paper envelopes, 25 individual packets of filter powder, stainless steel container cover

ECCOONE 65 lb. Capacity



Filtrators

- All Filtrator filters are completely self-contained - cart, container and power combined into one compact, portable unit
- Stainless steel container, container cover, cart, power unit housing, base, and "T" handle
- All other exterior surfaces are nickel plated steel
- Pumps are specially machined to handle high temperature edible oils
- 15 1/2" x 15 1/2" square screen can be used with either a cloth filter for heavy sediment conditions or a paper envelope for light sediment conditions
- Equipped with oil-proof lead wire cord and molded three-prong grounding plug
- Thermal and torque overload protection also provided

HF80 80 lb. Capacity

HF130 130 lb. Capacity

HF165 165 lb. Capacity



Silverline Spiral Mixer

- Stainless steel bowl, dough hook and shaft
- Separate bowl and agitator motors
- Has two speeds and reverse function
- Mixer is equipped with built-in casters and leveling feet for easy positioning and set-up
- Powerful belt drive provides low vibration, low noise, and years of reliable service
- Stainless steel bowl and dough hook standard

SL50 110 lb. Dough/70 qt. 3.5 hp



Meat Grinder

- Heavy-duty, gear-driven meat grinder
- Includes #22 grinder attachment, 16" x 24" aluminum feed pan, 3/16" plate, #22 knife, plastic meat storage container, feed stomper, and cleaning brush
- Built-in safety guard attached to the cast aluminum housing

MG22 21 1/4"W x 34 1/2"D x 21 1/2"H



Electric Bakery Oven & Stand

- Oven can be stacked on a stand with tray slides or proofer with wheels or feet
- Stainless steel stand with slots for baking pans

EECOW-5000 Oven, 5 (26" x 18") Trays, 41"W x 34 9/10"D x 24 3/5"H

EECOW-1035 Stand, Holds 8 (26" x 18") Pans



Economy Light-Duty Manual Slicer

- Solid anodized aluminum construction with precision German hollow ground slicing blade and top mounted sharpener
- Maximum slice thickness is 1/2"

4612 12" Blade 1/4 hp Belt Drive



Contact this dealer for pricing!

Floor Model Mixer

- Durable NSF approved hybrid epoxy/powdercoat finish
- #12 Power Take-Off (PTO) hub
- Standard accessories: stainless steel bowl, batter beater, wire whip, dough hook, ingredient chute, 15 minute timer
- Two year parts and labor warranty

SRM60+ 60 qt. 3 hp



Meat & Food Grinder

- Designed for heavy-duty use with a #12 head
- Driven by a 1 hp motor with a 1" wide poly V belt system
- Standard equipment includes a #12 grinder attachment with 3/16" plate holes, large 12" x 20" stainless steel feed pan and poly stomper

MG8912 12 3/4"W x 25 1/2"D x 22"H



Dough Sheeter

- Bench top reversible dough sheeter
- Hard chrome polished cylinders
- Safety interlock switches for safety
- Tables fold upright for storage and movement
- Adjustable thickness from 0 to 1.9"
- Powerful 3/4 hp motor

SFG500B Table Length (2x): 27 3/5"

